REFERENCES

American Diabetes Association website; www.ada.org. As per the last assessed on May 2007.

Anjana R. and Rema M. (2011), The need for obtaining accurate nationwide estimates of diabetes prevalence in India - Rationale for a national study on diabetes, Indian J Med Res, 133, 369- 80.

Aswar N. (2015), Prevalence of Type 2 Diabetes Mellitus in an Urban Area of Nanded City (Maharashtra, India), International Journal of Health Sciences and Research, 5(2), 1-10.

Beck H. and Groop C. (1994), Metabolic and genetic characterization of prediabetic states Sequence of events leading to noninsulin- dependent diabetes mellitus, J Clin Invest, 94, 1714–21.

Charles A. (1991), Risk factors for NIDDM in white population. Paris prospective

DeFronzo A. (1992), Pathogenesis of type 2 (non-insulin dependent) diabetes mellitus: a balanced overview, Diabetologia, 35, 389–97.

Diabetes Atlas (2003), 2nd ed.

Fernando R. (2001) Journal of Diabetes and its complications; 15, 34-37;2001

Ferrannini E. (1998), Insulin resistance *vs.* insulin deficiency in noninsulin- dependent diabetes mellitus: problems and prospects, Endocr Rev., 19, 477–90.

Gerich E. (1998), The genetic basis of type 2 diabetes mellitus: impaired insulin secretion *vs.* impaired insulin sensitivity, Endocr Rev, 19, 491–503.

Gojka R. and Jaako T. (2000), The Burden of Mortality Attributable to Diabetes, Diabetes Care, 28(9), 2130-5.

Govindu S. (2015), Prevalence of diabetes mellitus and its association with life style factors among adults in Tirupati, Andhra Pradesh, International Archives of Integrated Medicine, 2(5), 10-7.

Hanan A. (2015), Prevalence of lifestyle associated risk factors for non-communicable diseases and its effect on quality of life among nursing students, faculty of nursing, Tanta University, Int. J. Adv. Res., 3(5), 429-46.

Hetal R. and Sudhir J. (2014), Rural prevalence of type 2 diabetes mellitus: A cross sectional study, Journal of Social Health and Diabetes, 2(2), 82-6.

Himanshu M. (2014), Prevalence Of Diabetes Mellitus In Rural Population Of District Sonepat, India, International Journal of Medical Science and Public Health, 3(3), 261- 264.

Izharul H. (2012), Prevalence Of Diabetes Mellitus And Obesity Among Population Of Sultanpur Kunhari And Its Surrounding Area, Haridwar Uttarakhand, Int. Res. J. Pharm., 3(2), 226-9.

Kahn R. (1994)**,** Insulin action, diabetogenes, and the cause of type II diabetes, Diabetes, 4,1066–84.

Khandelwal S. (2013), Eliciting a policy response for the rising epidemic of overweight-obesity in India, 114-25.

King H., Aubert E. and Herman H. (1998), Global burden of Diabetes 1995-2025: prevalence, numerical estimates and projections Diabetes Care, 21, 1414-31.

Moban R. (2015), Prevalence of Diabetic Retinopathy in Urban India: The Chennai Urban Rural Epidemiology Study (CURES) Eye Study, I, Investigative Ophthalmology & Visual Science,46(7), 2328-33.

Mohan V. (2007), Epidemiology of type 2 diabetes: Indian scenario, Indian J Med Res, 125, 217-30.

Mohan V. (2009), Epidemiology Of Diabetes In Different Regions Of India, Health Administrator, 22(1, 2), 1- 18.

Nadia B. and Rainford W. (2015), Disparities in diabetes mellitus among Caribbean populations: a scoping review, Int. J. Equ. Health, 14(23), 1-17.

Nita G. (2014), Epidemiology of diabetes, Diabetes: Basic Facts, 698-702.

Olefsky M (1993), Insulin resistance and the pathogenesis of noninsulin-dependent diabetes mellitus:cellular and molecular mechanisms, Adv Exp Med Biol., 334, 129– 50.

Raja S. (2014), Prevalence of Undiagnosed Type 2 Diabetes and its Associated Risk Factors in Rural Population of Tamil Nadu, World Journal of Medical Sciences 11(2), 222-7.

Rajiv R. (2009), Prevalence of Diabetic Retinopathy in India, the American Academy of Ophthalmology, 311-8.

Ramachandran A. (1999), Impacts of urbanization on the life style and on the prevalence of diabetes in native Asian Indian population, Diabetes Res. Clin. Pract. 44, 207-13.

Ramachandran A. (2010), Current Status of Diabetes in India and Need for Novel Therapeutic Agents, Supplement To Japi, 58, 7-9.

Ramchandra A. (1999), Problem specific to developed countries and effect of westernization.: Hitman GA(ed) Type 2 Diabetes – Prediction and Prevention, Wiley,London,325-345.

Ranjit M. and Ashok D (2014), Physical activity and inactivity patterns in India – results from the ICMR-INDIAB study (Phase-1) [ICMR-INDIAB-5], International Journal of Behavioral Nutrition and Physical Activity, 2-11.

Ravikumar P. and dutta P. (2010), Prevalence and risk factors of diabetes in a community-based study in North India: The Chandigarh Urban Diabetes Study (CUDS), Diabetes & Metabolism, 37, 216–21.

Reshma P. (2013), Prevalence Of Type-2 Diabetes Mellitus And Associated Risk Factors In An Urban Slum Of Pune City, India, National Journal Of Medical Research, 3(4), 346-9.

Sanjay B. (2014), Risk Factors For Type 2 Diabetes Mellitus In Rural Population Of North Karnataka: A Community-Based Cross-Sectional Study, Int. J. Pharm. Med. & Bio. Sc., 3(1), 1-14.

Shafiur R. and Mizanur R. (2015), Awareness, Treatment, and Control of Diabetes in Bangladesh: A Nationwide Population-Based Study, Plos one, 1-14.

Shamima A. and Papia S. (2014), Prevalence of diabetes and prediabetes and their risk factors among Bangladeshi adults: a nationwide survey, Bull World Health Organ, 92, 204-13.

Sharon H. (2004), Poor Control of Risk Factors for Vascular Disease Among Adults With Previously Diagnosed Diabetes, Journal of American Medical Association. 21 (291), 335-42.

Shashank J. (2003), Subclinical Diabetes: Vascular threat to Asian Indians, Editorial article of Journal of Physicians of India (JAPI), 51.

Shivaram S. (2014), A Study of Prevalence of Diabetes and Prediabetes in Patients of Non-Alcoholic Fatty Liver Disease and the Impact of Diabetes on Liver Histology in Coastal Eastern India, Journal of Diabetes Mellitus, 4, 290-6. Anu G. (2014), Prevalence of type 2 diabetes mellitus in candidates contesting for municipal corporation elections in an urban industrialized town, Indian Journal of Basic and Applied Medical Research, 3(2), 412- 8.

Stephan M. (2000), Pathophysiology and Pharmacological Treatment of Insulin Resistance, Endocr. Rev., 21, 585-618.

Stratton M. (2000), Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study, BMI, 321, 405-12.

Study., Diabetes 40, 796-9.

The Diabetes Control and Complications Trial Research Group. (DCCT) (2003), The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus, N Engl J Med, 329, 977-86.

Vijay K. (2012), Lipid abnormalities in South Asians in USAJ, Preventive Cardiology, 1(4), 173-5.

Viral S. (2015), Diabetes in India: what is different?, Current Opinion, 22(4), 283-9.

Viswanathan M. (2013), The Rising Burden of Diabetes and Hypertension in Southeast Asian and African Regions: Need for Effective Strategies for Prevention and Control in Primary Health Care Settings, Int. J. Hypertension, 1-14.

Yki H. (1994), Pathogenesis of non-insulin-dependent diabetes mellitus. Lancet 343, 91–5.

Zimmet P. (1999), Diabetes epidemiology as a tool to trigger diabetes research and care, Diabetologia, 42, 499-518.